

【PQHY-P450SM-E】

室内ユニット 合計容量	能力 [kW]		入力 [kW]	
	冷房	暖房	冷房	暖房
225	22.5	25.0	4.86	5.06
226	22.6	25.1	4.88	5.08
227	22.7	25.2	4.89	5.10
228	22.8	25.3	4.91	5.12
229	22.9	25.4	4.92	5.14
230	23.0	25.6	4.93	5.16
231	23.1	25.7	4.95	5.18
232	23.2	25.8	4.96	5.20
233	23.3	25.9	4.98	5.21
234	23.4	26.0	4.99	5.23
235	23.5	26.1	5.01	5.25
236	23.6	26.2	5.02	5.27
237	23.7	26.3	5.04	5.29
238	23.8	26.4	5.06	5.31
239	23.9	26.6	5.07	5.33
240	24.0	26.7	5.09	5.35
241	24.1	26.8	5.10	5.37
242	24.2	26.9	5.12	5.39
243	24.3	27.0	5.14	5.41
244	24.4	27.1	5.15	5.43
245	24.5	27.2	5.17	5.45
246	24.6	27.3	5.19	5.47
247	24.7	27.4	5.20	5.49
248	24.8	27.6	5.22	5.51
249	24.9	27.7	5.24	5.53
250	25.0	27.8	5.26	5.55
251	25.1	27.9	5.27	5.57
252	25.2	28.0	5.29	5.59
253	25.3	28.1	5.31	5.61
254	25.4	28.2	5.33	5.63
255	25.5	28.3	5.34	5.65
256	25.6	28.4	5.36	5.67
257	25.7	28.6	5.38	5.69
258	25.8	28.7	5.40	5.72
259	25.9	28.8	5.42	5.74
260	26.0	28.9	5.44	5.76
261	26.1	29.0	5.45	5.78
262	26.2	29.1	5.47	5.80
263	26.3	29.2	5.49	5.82
264	26.4	29.3	5.51	5.84
265	26.5	29.4	5.53	5.86
266	26.6	29.6	5.55	5.88
267	26.7	29.7	5.57	5.91
268	26.8	29.8	5.59	5.93
269	26.9	29.9	5.61	5.95
270	27.0	30.0	5.63	5.97
271	27.1	30.1	5.65	5.99
272	27.2	30.2	5.67	6.01
273	27.3	30.3	5.69	6.04
274	27.4	30.4	5.71	6.06
275	27.5	30.6	5.73	6.08
276	27.6	30.7	5.75	6.10
277	27.7	30.8	5.77	6.12
278	27.8	30.9	5.79	6.15
279	27.9	31.0	5.81	6.17
280	28.0	31.1	5.83	6.19
281	28.1	31.2	5.86	6.21
282	28.2	31.3	5.88	6.24
283	28.3	31.4	5.90	6.26
284	28.4	31.6	5.92	6.28
285	28.5	31.7	5.94	6.30
286	28.6	31.8	5.96	6.33
287	28.7	31.9	5.99	6.35
288	28.8	32.0	6.01	6.37
289	28.9	32.1	6.03	6.40
290	29.0	32.2	6.05	6.42

室内ユニット 合計容量	能力 [kW]		入力 [kW]	
	冷房	暖房	冷房	暖房
291	29.1	32.3	6.08	6.44
292	29.2	32.4	6.10	6.47
293	29.3	32.6	6.12	6.49
294	29.4	32.7	6.15	6.51
295	29.5	32.8	6.17	6.54
296	29.6	32.9	6.19	6.56
297	29.7	33.0	6.22	6.58
298	29.8	33.1	6.24	6.61
299	29.9	33.2	6.26	6.63
300	30.0	33.3	6.29	6.65
301	30.1	33.4	6.31	6.68
302	30.2	33.6	6.33	6.70
303	30.3	33.7	6.36	6.73
304	30.4	33.8	6.38	6.75
305	30.5	33.9	6.41	6.77
306	30.6	34.0	6.43	6.90
307	30.7	34.1	6.46	6.82
308	30.8	34.2	6.48	6.85
309	30.9	34.3	6.51	6.87
310	31.0	34.4	6.53	6.90
311	31.1	34.6	6.56	6.92
312	31.2	34.7	6.58	6.95
313	31.3	34.8	6.61	6.97
314	31.4	34.9	6.63	6.99
315	31.5	35.0	6.66	7.02
316	31.6	35.1	6.69	7.04
317	31.7	35.2	6.71	7.07
318	31.8	35.3	6.74	7.09
319	31.9	35.4	6.76	7.12
320	32.0	35.6	6.79	7.14
321	32.1	35.7	6.82	7.17
322	32.2	35.8	6.84	7.20
323	32.3	35.9	6.87	7.22
324	32.4	36.0	6.90	7.25
325	32.5	36.1	6.93	7.27
326	32.6	36.2	6.95	7.30
327	32.7	36.3	6.98	7.32
328	32.8	36.4	7.01	7.35
329	32.9	36.6	7.04	7.37
330	33.0	36.7	7.06	7.40
331	33.1	36.8	7.09	7.43
332	33.2	36.9	7.12	7.45
333	33.3	37.0	7.15	7.48
334	33.4	37.1	7.18	7.50
335	33.5	37.2	7.20	7.53
336	33.6	37.3	7.23	7.56
337	33.7	37.4	7.26	7.58
338	33.8	37.6	7.29	7.61
339	33.9	37.7	7.32	7.64
340	34.0	37.8	7.35	7.66
341	34.1	37.9	7.38	7.69
342	34.2	38.0	7.41	7.72
343	34.3	38.1	7.44	7.74
344	34.4	38.2	7.47	7.77
345	34.5	38.3	7.50	7.80
346	34.6	38.4	7.53	7.82
347	34.7	38.6	7.56	7.85
348	34.8	38.7	7.59	7.88
349	34.9	38.8	7.62	7.91
350	35.0	38.9	7.65	7.93
351	35.1	39.0	7.68	7.96
352	35.2	39.1	7.71	7.99
353	35.3	39.2	7.74	8.01
354	35.4	39.3	7.77	8.04
355	35.5	39.4	7.80	8.07
356	35.6	39.6	7.83	8.10
357	35.7	39.7	7.86	8.13
358	35.8	39.8	7.89	8.15
359	35.9	39.9	7.93	8.18
360	36.0	40.0	7.96	8.21

【PQHY-P450SM-E】

室内ユニット 合計容量	能力 [kW]		入力 [kW]	
	冷房	暖房	冷房	暖房
361	36.1	40.1	7.99	8.24
362	36.2	40.2	8.02	8.26
363	36.3	40.3	8.05	8.29
364	36.4	40.4	8.09	8.32
365	36.5	40.6	8.12	8.35
366	36.6	40.7	8.15	8.38
367	36.7	40.8	8.18	8.41
368	36.8	40.9	8.22	8.44
369	36.9	41.0	8.25	8.46
370	37.0	41.1	8.28	8.49
371	37.1	41.2	8.32	8.52
372	37.2	41.3	8.35	8.55
373	37.3	41.4	8.38	8.58
374	37.4	41.6	8.42	8.61
375	37.5	41.7	8.45	8.64
376	37.6	41.8	8.48	8.67
377	37.7	41.9	8.52	8.69
378	37.8	42.0	8.55	8.72
379	37.9	42.1	8.59	8.75
380	38.0	42.2	8.62	8.78
381	38.1	42.3	8.65	8.81
382	38.2	42.4	8.69	8.84
383	38.3	42.6	8.72	8.87
384	38.4	42.7	8.76	8.90
385	38.5	42.8	8.79	8.93
386	38.6	42.9	8.83	8.96
387	38.7	43.0	8.86	8.99
388	38.8	43.1	8.90	9.02
389	38.9	43.2	8.93	9.05
390	39.0	43.3	8.97	9.08
391	39.1	43.4	9.01	9.11
392	39.2	43.6	9.04	9.14
393	39.3	43.7	9.08	9.17
394	39.4	43.8	9.11	9.20
395	39.5	43.9	9.15	9.23
396	39.6	44.0	9.19	9.26
397	39.7	44.1	9.22	9.29
398	39.8	44.2	9.26	9.32
399	39.9	44.3	9.30	9.35
400	40.0	44.4	9.33	9.38
401	40.1	44.6	9.37	9.42
402	40.2	44.7	9.41	9.45
403	40.3	44.8	9.45	9.48
404	40.4	44.9	9.48	9.51
405	40.5	45.0	9.52	9.54
406	40.6	45.1	9.56	9.57
407	40.7	45.2	9.60	9.60
408	40.8	45.3	9.63	9.63
409	40.9	45.4	9.67	9.66
410	41.0	45.6	9.71	9.70
411	41.1	45.7	9.75	9.73
412	41.2	45.8	9.79	9.76
413	41.3	45.9	9.83	9.79
414	41.4	46.0	9.87	9.82
415	41.5	46.1	9.90	9.85
416	41.6	46.2	9.94	9.89
417	41.7	46.3	9.98	9.92
418	41.8	46.4	10.02	9.95
419	41.9	46.6	10.06	9.98
420	42.0	46.7	10.10	10.01
421	42.1	46.8	10.14	10.05
422	42.2	46.9	10.18	10.08
423	42.3	47.0	10.22	10.11
424	42.4	47.1	10.26	10.14
425	42.5	47.2	10.30	10.18
426	42.6	47.3	10.34	10.21
427	42.7	47.4	10.38	10.24
428	42.8	47.6	10.42	10.27
429	42.9	47.7	10.46	10.31
430	43.0	47.8	10.50	10.34

室内ユニット 合計容量	能力 [kW]		入力 [kW]	
	冷房	暖房	冷房	暖房
431	43.1	47.9	10.55	10.37
432	43.2	48.0	10.59	10.41
433	43.3	48.1	10.63	10.44
434	43.4	48.2	10.67	10.47
435	43.5	48.3	10.71	10.50
436	43.6	48.4	10.75	10.54
437	43.7	48.6	10.79	10.57
438	43.8	48.7	10.84	10.60
439	43.9	48.8	10.88	10.64
440	44.0	48.9	10.92	10.67
441	44.1	49.0	10.96	10.70
442	44.2	49.1	11.01	10.74
443	44.3	49.2	11.05	10.77
444	44.4	49.3	11.09	10.81
445	44.5	49.4	11.13	10.84
446	44.6	49.6	11.18	10.87
447	44.7	49.7	11.22	10.91
448	44.8	49.8	11.26	10.94
449	44.9	49.9	11.31	10.98
450	45.0	50.0	11.35	11.01
451	45.0	50.0	11.35	11.00
452	45.0	50.0	11.36	10.99
453	45.1	50.0	11.36	10.99
454	45.1	50.0	11.36	10.98
455	45.1	50.1	11.36	10.97
456	45.1	50.1	11.36	10.96
457	45.2	50.1	11.36	10.95
458	45.2	50.1	11.37	10.94
459	45.2	50.1	11.37	10.93
460	45.2	50.1	11.37	10.92
461	45.3	50.1	11.37	10.92
462	45.3	50.1	11.37	10.91
463	45.3	50.1	11.37	10.90
464	45.3	50.2	11.38	10.89
465	45.4	50.2	11.38	10.88
466	45.4	50.2	11.38	10.87
467	45.4	50.2	11.38	10.86
468	45.4	50.2	11.38	10.85
469	45.5	50.2	11.38	10.85
470	45.5	50.2	11.39	10.84
471	45.5	50.2	11.39	10.83
472	45.5	50.2	11.39	10.82
473	45.6	50.2	11.39	10.81
474	45.6	50.3	11.39	10.80
475	45.6	50.3	11.39	10.79
476	45.6	50.3	11.40	10.78
477	45.7	50.3	11.40	10.78
478	45.7	50.3	11.40	10.77
479	45.7	50.3	11.40	10.76
480	45.7	50.3	11.40	10.75
481	45.8	50.3	11.40	10.74
482	45.8	50.3	11.41	10.73
483	45.8	50.4	11.41	10.72
484	45.8	50.4	11.41	10.71
485	45.9	50.4	11.41	10.71
486	45.9	50.4	11.41	10.70
487	45.9	50.4	11.41	10.69
488	45.9	50.4	11.42	10.68
489	46.0	50.4	11.42	10.67
490	46.0	50.4	11.42	10.66
491	46.0	50.4	11.42	10.65
492	46.0	50.5	11.42	10.64
493	46.1	50.5	11.42	10.63
494	46.1	50.5	11.43	10.63
495	46.1	50.5	11.43	10.62
496	46.1	50.5	11.43	10.61
497	46.2	50.5	11.43	10.60
498	46.2	50.5	11.43	10.59
499	46.2	50.5	11.43	10.58
500	46.2	50.5	11.44	10.57

【POHY-P450SM-E】

室内工外 合計容量	能力 [kW]		入力 [kW]	
	冷房	暖房	冷房	暖房
501	46.3	50.6	11.44	10.56
502	46.3	50.6	11.44	10.56
503	46.3	50.6	11.44	10.55
504	46.3	50.6	11.44	10.54
505	46.4	50.6	11.44	10.53
506	46.4	50.6	11.45	10.52
507	46.4	50.6	11.45	10.51
508	46.4	50.6	11.45	10.50
509	46.5	50.6	11.45	10.49
510	46.5	50.7	11.45	10.49
511	46.5	50.7	11.45	10.48
512	46.5	50.7	11.46	10.47
513	46.6	50.7	11.46	10.46
514	46.6	50.7	11.46	10.45
515	46.6	50.7	11.46	10.44
516	46.6	50.7	11.46	10.43
517	46.7	50.7	11.46	10.42
518	46.7	50.7	11.47	10.42
519	46.7	50.8	11.47	10.41
520	46.7	50.8	11.47	10.40
521	46.8	50.8	11.47	10.39
522	46.8	50.8	11.47	10.38
523	46.8	50.8	11.47	10.37
524	46.8	50.8	11.48	10.36
525	46.9	50.8	11.48	10.35
526	46.9	50.8	11.48	10.35
527	46.9	50.8	11.48	10.34
528	46.9	50.9	11.48	10.33
529	47.0	50.9	11.48	10.32
530	47.0	50.9	11.49	10.31
531	47.0	50.9	11.49	10.30
532	47.0	50.9	11.49	10.29
533	47.1	50.9	11.49	10.28
534	47.1	50.9	11.49	10.28
535	47.1	50.9	11.49	10.27
536	47.1	50.9	11.49	10.26
537	47.2	50.9	11.50	10.25
538	47.2	51.0	11.50	10.24
539	47.2	51.0	11.50	10.23
540	47.2	51.0	11.50	10.22
541	47.3	51.0	11.50	10.21
542	47.3	51.0	11.50	10.21
543	47.3	51.0	11.51	10.20
544	47.3	51.0	11.51	10.19
545	47.4	51.0	11.51	10.18
546	47.4	51.0	11.51	10.17
547	47.4	51.1	11.51	10.16
548	47.4	51.1	11.51	10.15
549	47.5	51.1	11.52	10.14
550	47.5	51.1	11.52	10.13
551	47.5	51.1	11.52	10.13
552	47.5	51.1	11.52	10.12
553	47.6	51.1	11.52	10.11
554	47.6	51.1	11.52	10.10
555	47.6	51.1	11.53	10.09
556	47.6	51.2	11.53	10.08
557	47.7	51.2	11.53	10.07
558	47.7	51.2	11.53	10.06
559	47.7	51.2	11.53	10.06
560	47.7	51.2	11.53	10.05
561	47.8	51.2	11.54	10.04
562	47.8	51.2	11.54	10.03
563	47.8	51.2	11.54	10.02
564	47.8	51.2	11.54	10.01
565	47.9	51.3	11.54	10.00
566	47.9	51.3	11.54	9.99
567	47.9	51.3	11.55	9.99
568	47.9	51.3	11.55	9.98
569	48.0	51.3	11.55	9.97
570	48.0	51.3	11.55	9.96

室内工外 合計容量	能力 [kW]		入力 [kW]	
	冷房	暖房	冷房	暖房
571	48.0	51.3	11.55	9.95
572	48.0	51.3	11.55	9.94
573	48.1	51.3	11.56	9.93
574	48.1	51.4	11.56	9.92
575	48.1	51.4	11.56	9.92
576	48.1	51.4	11.56	9.91
577	48.2	51.4	11.56	9.90
578	48.2	51.4	11.56	9.89
579	48.2	51.4	11.57	9.88
580	48.2	51.4	11.57	9.87
581	48.3	51.4	11.57	9.86
582	48.3	51.4	11.57	9.85
583	48.3	51.5	11.57	9.85
584	48.3	51.5	11.57	9.84
585	48.4	51.5	11.58	9.83